

# Outperformance for:

FOAM FABRICATION

MATTRESSES

UPHOLSTERED FURNITURE

TRANSPORT SEATING

ATHLETIC EQUIPMENT



Quin Global US  
5710 F Street  
Omaha NE 68117  
USA

[www.quinglobal.com](http://www.quinglobal.com)  
[www.tensorglobal.com](http://www.tensorglobal.com)  
[info.us@quin-global.com](mailto:info.us@quin-global.com)  
+1 402 731 3636

QUIN  
GLOBAL  
**Tensor™**

# INDUSTRIAL FOAM & FABRIC ADHESIVES



**Tensorgrip®**  
Adhesives That Outperform





# INDUSTRIAL FOAM & FABRIC ADHESIVES

## P309

### Non-Flam Aggressive Pressure Sensitive Adhesive

#### Advantages:

- 100% Non-flammable
- Aggressive PSA
- VOC free
- Fast dry, high tack, long open time
- 80% of final strength immediately
- Somewhat repositionable

#### Substrates:



Foam



Fabric



Plastics



Metal/Aluminum  
Sheeting



Insulation

#### Properties:



Web Spray



ZERO-FLAM  
TECHNOLOGY  
Non-Flammable

#### Available in:



## P307

### Low VOC Contact Adhesive

#### Advantages:

- Excellent bonding to porous substrates
- Aggressive – adheres to nearly any surface
- Good heat resistance (up to 180°F/82°C)
- High-strength, long-term bond
- Strong initial bond
- Low VOC California Compliant (SCAQMD Rule 1168)

#### Substrates:



Insulation



Foam



Standard Laminate

#### Properties:



Web Spray



CA  
California  
Compliant

#### Available in:





# P311

## Non-Flam Pressure Sensitive Adhesive

### Advantages:

- 100% Non-flammable
- VOC free
- Single-sided temporary or double-sided for more permanent bonds
- Fast dry, very long open time
- Repositionable

### Substrates:



### Properties:



### Available in:



# P322

## Fast Dry Pressure Sensitive Adhesive

### Advantages:

- Very fast drying
- Long lasting high tack (pressure sensitive)
- Moisture and weather-resistant bond
- Non-chlorinated
- Will not attack polystyrene

### Substrates:



### Properties:



### Available in:

