

TensorGrip®

SIMPLE

3

OVERVIEW

TensorGrip® is a brand with a purpose. And that purpose is making your job easier.

Begin with three of our outstanding products. Designed specifically for the major tasks of the marine industry, you'll have the products and the power to succeed.

SIMPLE LABELING

With TensorGrip®, you won't need to read the fine print on labels again. At a glance, any person — no matter what the language or literacy — will be able to identify the product and what it's for.

Relax. And prepare to outperform!



Boat Hull



Flooring



Insulation



Dashboard



Ceilings/Headliners



Walls



Seating



Cabinets

Distributed by:

www.quinglobal.com
www.tensorglobal.com
sales.us@quin-global.com
+1 402 731 3636

QUIN
GLOBAL
Tensor™



3

SIMPLE
SOLUTIONS



Tensorgrip[®]
Adhesives That Outperform



3 SIMPLE SOLUTIONS

M31 INFUSION

MOLDING ADHESIVE - HIGH STRENGTH

TensorGrip® M31 is designed specifically for marine infusion molding to overcome the problems normally associated with using other types of adhesives, such as bonding failure, resin blockage and surface defects in the finished product. Formulated for superior results when used with polyester, vinyl ester and styrene resins in the infusion molding process.



Fiberglass
Infusion



M50 FAST DRY

PRESSURE SENSITIVE ADHESIVE

TensorGrip® M50 is designed especially for marine seating, upholstered areas and interior boat walls and wall coverings. This industrial strength and aggressive fast-drying pressure sensitive adhesive is weather resistant to both heat and water, provides a lasting tack that holds up to rigorous use and can also provide excellent grip for porous materials.

1. Prepare for use.
2. Heat aggressive performance.
3. Remove residue if it can be supplied with a light solvent and light.
4. Allow to dry until adhesive does not transfer to fingertips when touched.
5. See technical data sheet for more information.
6. Watch for use.

7. Do not use on materials that are porous and have pressure of
8. Do not use on materials that are porous and have pressure of
9. Do not use on materials that are porous and have pressure of
10. Do not use on materials that are porous and have pressure of

USE ONLY IN WELL VENTILATED AREA. Avoid contact with eyes, skin, clothing. Wash thoroughly after handling.

Adhesive must be stored above 62°, but below 120°. In cold weather, store off floor in a heated area. Do not store in direct sun or at consistently high temperatures as container may burst.

Das Global USA
5710 F Street
Omaha NE 68117
Tel: +1 402 731 3836
Web: www.tensorglobal.com
www.tensorglobal.com



Foam



Fabric



Polystyrene





M80 HIGH TEMP

SPRAY CONTACT ADHESIVE

TensorGrip® M80 sets the standard as a multi-purpose marine adhesive for interior boat outfitting. This high performance, high-temp spray contact adhesive is formulated for a variety of marine applications and even bonds with a variety of the highest-class materials used in high-end yachts.

HIGH TEMP
CONTACT ADHESIVE



SIZE: LARGE 22L
COLOR: CLEAR

H229 Pressurized container. Do not heat or
H310 Causes loss of consciousness.
H314 Causes severe eye irritation.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H332 May cause respiratory irritation.
H333 May cause drowsiness or昏厥 through inhaling or repeated breathing.
P201+P202 Hazard information and safety instructions.
P203+P233+P231+P301+P312+P331+P501 Avoid contact with skin and keep container
P302+P352+P338 If IN EYES: Rinse cautiously with water for several
minutes. Remove contact lenses, if present and easy to do. Continue
rinsing.
P312 Call a POISON CENTER/doctor if you feel unwell.
P332+P313 If skin irritation occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.
CONTAINS:
Methylene Chloride CAS# 75-09-2
Isobutane CAS# 109-67-2
Propane CAS# 74-99-6



Standard Laminate



FRP/GRP



Carpet

